



VICINITY MAP




LEO

- LEGEND**

 - Federal Navigation Channel  Cable Area
 - Federal Navigation Center Line  Placement Area
 - As-built Pipeline/Cable  Anchorage Area
 - Unconfirmed Pipeline/Cable  Obstruction Point
 - Project Depth Contour  Wrecks-Submerged



Gage Reading: 1.8 MLLW @ LIGHT 14 @ 0905
Sea Conditions: CALM
Vessel Name: BEAUV AIS
Survey Type: CONDITION, SB
Scounding Frequency***: LOW



A horizontal scale bar representing distance in feet. The bar is divided into segments by vertical tick marks. The labels indicate distances of 0, 500, 1,000, 1,500, 2,000, and 2,500 feet. The first 500 feet are marked with smaller segments, while the remaining 2,000 feet are represented by a single long black segment.

OTES:

Coordinate System:
Datum of 1983 (NAD83), projected to the State Plane
System (SPCS), Louisiana South Zone. Distance units in U.S. Survey Feet.

shown in feet and indicate depths below Mean Lower Low Water (MLLW, 12-16).
ships for gage 01625 as of March 2020:

Mississippi River, above and below Head of Passes are shown

Navigation aids are base off and provided by the U.S. Coast Guard.

Photography data source: Precision Aerial Re

A.A. Navigation Chart No. 11361.

frequency (200 kHz) survey data represents the first signal return at a sounding and include suspended solids, known as "fluff", if present. Low frequency (24 kHz) usually penetrates through this "fluff" layer to depict elevations of consolidated bottom frequency accuracies may vary depending on channel conditions and fathometer

Sheet Reference Number

Revision Number:
4.1-20191105