

US Army Corps
of Engineers
District: CEMVN

Distribution liability: The data represents the results of data collection processing by a specific US Army Corps of Engineers activity and includes the general existing conditions. Such activities are not intended to be a survey for the accuracy specifications. The user is responsible for the results of any use of the application of the data for other than its intended purpose.

Data Constraints: Hydrographic survey data is subject to change rapidly due to several factors including, but not limited to dredging, Army Corps of Engineers actions, or changes in the hydrographical conditions which develop after the date of publication. This data is intended for U. S. Army Corps of Engineers use only and is not to be used open to the public.

Disclaimer: These constraints: The United States Government furnishes these data and the recipient accepts and uses them with the express understanding that the US Government makes no warranties, expressed or implied, regarding the quality and reliability of the data, its usefulness for a particular purpose, or the results to be obtained from its use. The United States shall not be liable for damages resulting from use of the data. Any person using these data does so at his own risk. The United States Government retains ownership of the data. The recipient may transfer these data to anyone other than the government provided data. The recipient may not transfer these data to anyone without also transferring this Disclaimer.



The information depicted on this map represents the results of a survey conducted on the date shown and can only be considered to be current on the date of condition existing at that time.

U.S. ARMY CORPS OF ENGINEERS	Submitted By:
NEW ORLEANS DISTRICT	JTB & DBD
	Printed By:
	TS

Checked By:

MSK

MISSISSIPPI RIVER - B.R. TO GULF
SOUTHWEST PASS - SHEET 9
SW_09_SWP_20230426_CS_PRO
26 April 2023



Gage Reading: 2.3 MLLW @ LIGHT 14 @ 1300
Sea Conditions: CALM, FLUFF
Vessel Name: BLANCHARD
Survey Type: CONDITION, SB
Sounding Frequency***: LOW

Vertical Datum: Soundings are shown in feet and indicate depths below Mean Lower Low Water (MLLW, 12-16). Datum Relationships for gage 01625 as of March 2020: 0.0' NAVD88, 2009.55 ± 0.40' MLLW = 3.90' MLG

Distances on the Mississippi River, above and below Head of Passes are shown at 1 mile intervals.

The location of navigation aids are base on and provided by the U.S. Coast Guard.

2022 Aerial Photography data source: Optimal GEO (1998 DOQQ in green)

Reference is N.O.A.A. Navigation Chart No. 11361.

** Shoalest Sounding per Quarter per Reach.

*** High frequency (200 kHz) survey data represents the first signal return at a sounding location and will include suspended solids, known as "fluff", if present. Low frequency (24 kHz) survey data normally penetrates through this "fluff" layer to depict elevations of consolidated bottom material. Low frequency accuracies may vary depending on channel conditions and fathometer settings.

Sheet Reference Number
9 of 13

Revision Number:
42-2004020